

VC Ascorbic Acid regular



Coversheet for Certificate of Analysis

Productcode : 5015838
Lot No. : HPB2303196
Analysis No. : 75785425

CfC Number : 05145670
Articlecode : 5015838368
Sales Name : 25 KG BOX/ALU VC Ascorbic Acid regular
Manufacturing Date : 24-MAR-2023
Best Use Before Date : 23-MAR-2026
Delivery Note No. 1124108243
Destination : Argentina
Customer Ref. No : 4501732482
Customer Article No: 5015838368
Customer Name: DSM NUTRITIONAL PRODUCTS ARGENTINA S.A.
COLECTORA ESTE PANAMERICANA, RAMAL PILAR
C.U.I.T : 30-70782242-9

Article desc. CoA
Comment



VC Ascorbic Acid regular, 25KG BAL

CERTIFICATE OF ANALYSIS

Productcode : 5015838368 Batch Size : 15,000KG
Lot No. : HPB2303196 Manufacturing Date : 24.3.2023
Analysis No. : 75785425 Best use before : 23.3.2026
Report Date : 31.3.2023

Test	Result	Limits/Specification	Dimension/Units
*Appearance	Correspond	White or almost white, crystal or crystalline powder ✓	
Solubility	Correspond	Freely soluble in water, slightly soluble in ethanol, insoluble in ether or chloroform	
Identification A	Positive	Positive	
Identification B	Correspond	IR	
*Melting Point	191	190 - 192	°C ✓
*Specific Optical	20.8	20.5 - 21.5	"
Rotation			
*Clarity and Color of Solution	Correspond	Clear, not more intensely than BY7	
*pH(2%, W/V)	2.5	2.4 - 2.8 ✓	
*pH(5%, W/V)	2.3	2.2 - 2.5	
Loss on Drying	< 0.1	<= 0.1	%
Residue on Ignition	< 0.1	<= 0.1	%
Arsenic(as As)	< 1.0	<= 1.0	ppm ✓
Heavy Metals (as Pb)	Correspond	<=0.0003%	
Lead	< 0.5	<= 0.5	ppm ✓
Mercury	< 0.5	<= 0.5	ppm ✓
Iron	< 2	<= 2	ppm
Copper	< 3	<= 3	ppm
Oxalic Acid	Correspond	<=0.2%	
Residual Solvents(as methanol)	< 250	<= 250	ppm
*Assay	99.8	99.0 - 100.5	%
Total Plate Counts	< 1000	<= 1000	CFU/g
Yeasts & Moulds	< 100	<= 100	CFU/g
Escherichia.Coli	Correspond	Absence in 1g	
Salmonella	Correspond	Absence in 25g	
Staphylococcus Aureus	Correspond	Absence in 25g	
Impurity C	< 0.15	<= 0.15	%
Impurity D	< 0.15	<= 0.15	%
Unspecified impurities	< 0.10	<= 0.10	%
Total impurities other than C & D	< 0.2	<= 0.2	%
Cadmium	< 0.5	<= 0.5	ppm
*Odor	Correspond	Odorless	

Conclusion: The product with this batch number meets all requirements when tested according to the monograph of USP/FCC/BP/EP/E300 in current version.

Test items marked with * are based on routine batch analysis. Others are tested at regular intervals.

This is an electronic COA. The data from batch analysis are in accord with the actual test data, which are true, correct and controlled. The data from periodic analysis are controlled at regular intervals as part of our assurance program.



VC Ascorbic Acid regular, 25KG BAL

CERTIFICATE OF ANALYSIS

Productcode	: 5015838368	Batch Size	: 15,000KG
Lot No.	: HPB2303196	Manufacturing Date	: 24.3.2023
Analysis No.	: 75785425	Best use before	: 23.3.2026
Report Date	: 31.3.2023		

QC Manager
葛亮

Nie Xiaoming (Daniel Nie)

Quality Manager
葛亮

Ge Liang