

Attention! Please note that the certificates of analysis are also conveniently available on your BASF online portal.

BASF S.A.

2024-06-05

Certificate No 464

AV DAS NACOES UNID 14171, 10º A 17º

sa.em-pi@basf.com
S-EM/SQ04794-000 SAO PAULO
VILA GERTRUDES
Brasil**Inspection Certificate 3.1 according to EN 10204**

Texapon® A 400 B

Material	50227869
Order	7012544220 000020
Delivery	7617943154 000010
Batch	0028190710
Batch/Qty	400.000 KG
Total	400.000 KG
Transport	CVN-9640

200KG Tambores de matéria plástica
Purchase order/Customer material
2219

Manufacturing Location: BR, 12971-011 JACAREI, ESTR RIO ABAIXO S/N PRED 46 KM 161

Characteristic	Unit	Value	Lower Limit	Upper Limit
Aparência: Líq. Transp. a Opalescente	-	OK		
Água - Dean Stark	%	71	67	71
Substância Ativa Aniônica (PMM 291)	%	27,88	27,50	30,00
Cor Gardner		0,70		1,00
pH - (Solução 10%)		6,53	6,00	7,00
Insulfatado	%	0,12		1,50
Viscosidade Copo DIN (20°C, Fuso 8)	cps	1000		2500
Cloreto de Amonêo - SKIP (Máx.: 0,5%)	-	OK		
Sulfato de Amônio - SKIP (Máx.: 0,8%)	-	OK		
Ponto de Turvação - SKIP (Máx.: 12°C)	-	OK		

Retest Date : 04.04.2025

Production date: 04.04.2024

sa.em-pi@basf.com

Quality Control Lab.

The above-mentioned data describes the relevant parameters of the product at the time of issuing this certificate of analysis (CoA). The data is controlled at regular intervals as part of our quality assurance program and is provided for reference only. The contractually agreed quality of the product at the time of passing of risk is exclusively determined by BASF's product specification. Unless specifically agreed by the Parties in writing signed by authorized representatives, no suitability for a particular use shall be presumed or implied based on the CoA and the customer is solely responsible for determining and verifying the suitability of the use of the product for any purpose.