

CERTIFICATE OF ANALYSIS

CUSTOMER	엔트로상사	S/P DATE	2025-03-03
PRODUCT	KONION PEG-400	LOT NO.	25030003
QUANTITY	5,750 KGS	SHIP/DATE	2025-03-05
LIFE CYCLE	24 MON	CERT/NO.	

TEST ITEM	UNIT	SPECIFICATION	RESULT	REMARK
Appearance	Visual	Clear Liquid	GOOD	
Color	APHA NO.	30 Max	10	
Water content	%	0.500 Max	0.02	
pH	5%, aq.sol'n	4.0-7.0	5.7	
Molecular Weight	-	380.0-420.0	401	
Hydroxyl Value	mgKOH/g	267-295	279.8	

[REMARK]

I CERTIFY THAT ABOVE STATEMENTS ARE TRUE AND CORRECT.

QUALITY ASSURANCE DEPARTMENT MANAGER Y.C.HONG

SIGNATURE :




HEAD OFFICE & PLANT : 103, Dokot 2-ro, Daesan-eup, Seosan-si,
Chungcheongnam-do, KOREA

TEL) 041-661-5030 FAX) 041-661-8400

SEOUL OFFICE : Changgang-building 15F, 86, Mapo-daero, Mapo-gu,
SEOUL, KOREA

TEL) 02-3158-8800 FAX) 02-3158-8829

