

CERTIFICATE OF ANALYSIS


CUSTOMER	-	S/P DATE	2023-11-21
PRODUCT	KONION PEG-400	LOT NO.	23110004
QUANTITY	4,830 KGS	SHIP/DATE	2024-01-16
LIFE CYCLE	36 MON	CERT/NO.	

TEST ITEM	UNIT	SPECIFICATION	RESULT	REMARK
Appearance	Visual	Clear Liquid	GOOD	
Color	APHA NO.	30 Max	10	
Water content	%	0.500 Max	0.03	
pH	5%, aq.sol'n	4.0-7.0	5.7	
Molecular Weight	-	380.0-420.0	407	
Hydroxyl Value	mgKOH/g		275.6	
[REMARK]				

I CERTIFY THAT ABOVE STATEMENTS ARE TRUE AND CORRECT.

QUALITY ASSURANCE DEPARTMENT MANAGER Y.HEO

SIGNATURE :




HEAD OFFICE & PLANT : 103, Dokot 2-ro, Daesan-eup, Seosan-si,
 Chungcheongnam-do, KOREA
 TEL) 041-661-5030 FAX) 041-661-8400
 SEOUL OFFICE : Changgang-building 15F, 86, Mapo-daero, Mapo-gu,
 SEOUL, KOREA
 TEL) 02-3158-8800 FAX) 02-3158-8829

