



CERTIFICATE OF ANALYSIS

Product Ref.	BASLAFEL85	Manufacturing Date:	10-Dec-2024
Product Name	Lactic Acid 85% Excel Grade	Retest Date:	09-Dec-2026
Complies with	FCC	Lot. Number:	S202412010

THE RESULT OF INSPECTION:

PARAMETER	SPECIFICATION	TEST RESULT
Assay	≥ 85.0 % w/w	85.47 % w/w
Color (fresh solution)	≤ 50 Hazen	< 40 Hazen
Positive test for lactate	Passes test	Passes test
Density (20°C)	1.19 - 1.21 g/ml	1.20 g/ml
Stereochemical purity L(+)	≥ 97 %	99.16 %
Heavy metals (as Pb)	≤ 10 ppm	< 10 ppm
Iron	≤ 10 ppm	< 10 ppm
Calcium	≤ 10 ppm	< 10 ppm
Chloride	≤ 10 ppm	< 10 ppm
Sulphate	≤ 10 ppm	< 10 ppm
Sulphated ash	≤ 0.05 % w/w	< 0.05 % w/w
Cyanide	≤ 1 ppm	< 1 ppm
Lead	≤ 0.5 ppm	< 0.5 ppm
Arsenic	≤ 1 ppm	< 1 ppm
Mercury	≤ 1 ppm	< 1 ppm
Reducing substances (sugars)	Passes test	Passes test
Citric, oxalic, tartaric and phosphoric acids	Passes test	Passes test

This document was generated by computer and therefore does not require a signature

SHANDONG BAISHENG BIOTECHNOLOGY CO., LTD.

No.6 West Xi'an road, economic development zone, Yanzhou, Shandong ,China
TEL: +86-537-8955258 FAX: +86-537-8955256