

INNER MONGOLIA CHENGXIN YONGAN CHEMICAL CO., LTD.

Tel: 0483-8193300 Fax: 0483-8193304

Address: Lantai Road North, Wusitai Town, Alxa Zuoqi Economic Development Zone, Alxa City, Inner Mongolia Province.

CERTIFICATE OF ANALYSIS

QUANTITY: 20.25MT

Product Name	Creatine Monohydrate	Testing date	2025.12.18
Formula	C ₄ H ₉ N ₃ O ₂ ·H ₂ O	Particle Size	200 mesh
Test Item	Standard	Result	Test Method
Appearance	White powder	White powder	Visual
Identification	The testing samples's infrared absorption spectrum should be consistent with the reference map	Conformed	USP<197K>
	The retention time of the major peak of the Sample solution corresponds to that of the Standard solution, as obtained in the Assay	Conformed	USP<621>
Content Assay (dry basis)	99.5-102.0%	101.3%	USP<621>
Loss on drying	10.5-12.0%	11.2%	USP<731>
Creatinine	≤50ppm	0ppm	USP<621>
Dicyandiamide	≤50ppm	32ppm	USP<621>
Dihydrotriazine	≤0.0005%	None-Detectable	USP<621>
Any unspecified impurity	≤0.1%	None-Detectable	USP<621>
Total unspecified impurities	≤1.5%	None-Detectable	USP<621>
Total impurities	≤2.0%	0.0032%	USP<621>
Sulfate	≤0.03%	Conformed	USP<221>
Residue on Ignition	≤0.1%	0.02%	USP<281>
Bulk Density	≥400g/L	500g/L	USP<616>
Tapped Density	≥550g/L	770g/L	USP<616>
Test Of Sulfuric Acid	No Carbonation	Conformed	USP<271>
Heavy Metals	≤10ppm	Conformed	USP<231>
Lead	≤0.1ppm	Conformed	AAS
Arsenic	≤1ppm	Conformed	AAS
Mercury	≤0.01ppm	Conformed	AAS
Cadmium	≤1ppm	Conformed	AAS
Cyanide	≤1ppm	None-Detectable	Colorimetry
Particle size	≥70% through 200 mesh	87%	USP<429>
Total Bacterial Count	≤100cfu/g	<10cfu/g	USP<2021>
Yeast & Mould	≤100cfu/g	<10cfu/g	USP<2021>
E.Coli	Not detected/10g	Not detected	USP<2022>
Salmonella	Not detected/10g	Not detected	USP<2022>
Staphylococcus Aureus	Not detected/10g	Not detected	USP<2022>
Manufacturing Date	2025.12.15	Expiry Date	2027.12.14
BATCH NO.	B20251218C	FINAL CONCLUSION	QUALIFIED
Analyst	卢如月	Section Chief	张国浩

Notice: Preserve in tight, light-resistant containers.

胡兴哲