

CERTIFICATE OF ANALYSIS

BioYoung™ BFL

Lot No: C22101101BBFL

Test	Specification	Result
Appearance	Yellowish, turbid liquid	Conforms
Odor	Characteristic	Conforms
Solid content (%)	1.5-2.5	1.60
pH (state on delivery)	4.0-6.0	4.7
Lactic acid(mg/ml)	0.8-2.5	1.10
Acetic acid(mg/ml)	1.3-1.7	1.40
Total nitrogen content(%)	0.05-0.15	0.10
Aerobic Plate Count (cfu/ml)	500 Max	210
Total heavy metal (As,Pb ppm)	10 Max	Conforms

Manufacturing Date: Oct. 11, 2022

Proposed Retest Date: Oct. 11, 2024

Analyst: Cheng Jianan
Date: Oct. 11, 2022

QA/QC Approval: James Lin
Date: Oct. 14, 2022

Manufacturer: Nanjing Huashi New Material Co.,Ltd

Manufacturing site address:299 Changfenghe Road, Changlu Street, Jiangbei New District, Nanjing, China

Ascend Biotech (USA), Ltd. provides this Certificate of Analysis in good faith and to the best of its knowledge. It should not be substituted for the user's own raw material quality control. Ascend Biotech (USA), Ltd. assumes no warranty or liability of any kind for the use of this material or the information provided herein.